

# Steeline "SS"- Series Freestanding Type 4 & 4X Non-Disconnect and Disconnect Enclosure



### Material:

12 gauge Carbon Steel and/or Stainless Steel  
Carbon Steel  
304 Stainless Steel  
316L Stainless Steel

### Finish:

Housing and door are Carbon Steel / 304-316L  
Stainless Steel  
Powder Paint over phosphate surface  
ANSI 61 Gray powder paint Textured  
Stainless Steel to have a #4 brushed finish  
Mounting Panel (optional)

### Protection Ratings:

UL / cUL Type 12, 13, 4, and 4X  
UL File Number: E158158  
IEC 60529, IP66

### Configuration:

Single / Double door UL Type 4 & 4X  
Disconnect and Non-Disconnect  
(UL Type 4X Stainless Steel only)  
Mounting Panel 12ga Steel (Optional Stainless  
MPL)  
Padlock Die cast Zink Handle or 316L Stainless  
Steel Handle  
Body Stiffener for added support  
Provision for mounting light kits  
Removable heavy duty lifting eyes  
Print pocket included  
Removable center post

### Disconnect Configuration:

Mechanical interlock on master door  
Operator adaptors may be used to fit most dis-  
connect operators in universal cutouts on flange

### Detail Drawings:

[www.steelineenclosures.com](http://www.steelineenclosures.com)

### Accessories:

Optional MPL (Carbon Steel, Stainless Steel, or  
Aluminum)  
Window Kits  
Climate Control options (Fans and Louvers or A/C  
unit)  
Dead Front Kits  
Leg Stand Kits  
Lighting Kits

### Modification Service:

Optional modifications per customer specification

### Part Number System

SS— Steeline Freestanding Encl  
7207812— H"xW"xD" of Encl.  
N/D— Disconnect or Non  
C, 4, 6—Material  
2—# of Doors  
A—Dual Access

Part Number	H (in)	W(in)	D (in)	Mounting Panel Part Number	MPL H (in)	MPL W (in)
-------------	--------	-------	--------	-------------------------------	---------------	---------------

#### Freestanding Carbon Steel Single Access

SS6002418NC1	60"	24"	18"	SS-60P24	48"	20"
SS6004818NC2	60"	48"	18"	SS-60P48	48"	44"
SS7202418NC1	72"	24"	18"	SS-72P24	60"	20"
SS7203018NC1	72"	30"	18"	SS-72P30	60"	28"
SS7203618NC1	72"	36"	18"	SS-72P36	60"	32"
SS7204818NC2	72"	48"	18"	SS-72P48	60"	44"
SS7206018NC2	72"	60"	18"	SS-72P60	60"	56"
SS7207218NC2	72"	72"	18"	SS-72P72	60"	68"
SS7210818NC3	72"	108"	18"	SS-72P72 SS-72P34	60" 60"	68" 30"
SS8607218NC2	86"	72"	18"	SS-86P72	74"	68"
SS8610818NC3	86"	108"	18"	SS-86P72 SS-86P34	74" 74"	68" 30"
SS8614418NC4	86"	144"	18"	SS-86P72 SS-86P72	74" 74"	68" 68"
SS9002420NC1	90"	24"	20"	SS-90P24	78"	20"
SS9003620NC1	90"	36"	20"	SS-90P36	78"	32"
SS9004820NC2	90"	48"	20"	SS-90P48	78"	44"
SS9007220NC2	90"	72"	20"	SS-90P72	78"	68"
SS6003624NC1	60"	36"	24"	SS-60P36	48"	32"
SS7202424NC1	72"	24"	24"	SS-72P24	60"	20"
SS7203024NC1	72"	30"	24"	SS-72P30	60"	26"
SS7203624NC1	72"	36"	24"	SS-72P36	60"	32"
SS7204824NC2	72"	48"	24"	SS-72P48	60"	44"
SS7206024NC2	72"	60"	24"	SS-72P60	60"	56"
SS7207224NC2	72"	72"	24"	SS-72P72	60"	68"



-Continue-

# Steeline "SS"- Series Freestanding Type 4 & 4X Non-Disconnect and Disconnect Enclosure

**Part Number**      **H (in)** **W (in)** **D (in)**      **Mounting Panel Part Number**      **MPL H(in)**      **MPL W(in)**



**Freestanding Carbon Steel Single Access**

<b>SS9003624NC1</b>	90"	36"	24"	<b>SS-90P36</b>	78"	32"
<b>SS9007224NC2</b>	90"	72"	24"	<b>SS-90P72</b>	78"	68"
<b>SS9010824NC3</b>	90"	108"	24"	<b>SS-86P72</b> <b>SS-86P34</b>	78" 78"	68" 30"
<b>SS7203630NC1</b>	72"	36"	30"	<b>SS-72P36</b>	60"	32"
<b>SS7203636NC1</b>	72"	36"	36"	<b>SS-72P36</b>	60"	32"
<b>SS7206036NC2</b>	72"	60"	36"	<b>SS-72P60</b>	60"	56"
<b>SS9003636NC1</b>	90"	36"	36"	<b>SS-90P36</b>	78"	32"
<b>SS9007236NC2</b>	90"	72"	36"	<b>SS-90P72</b>	78"	68"

**Part Number**      **H (in)** **W (in)** **D (in)**      **Mounting Panel Part Number**      **MPL H(in)**      **MPL W(in)**

**Freestanding Carbon Steel Dual Access**

<b>SS7202424NC1A</b>	72"	24"	24"	<b>SS-72P24</b>	60"	20"
<b>SS7203024NC1A</b>	72"	30"	24"	<b>SS-72P34</b>	60"	30"
<b>SS7203624NC1A</b>	72"	36"	24"	<b>SS-72P36</b>	60"	32"
<b>SS7206024NC2A</b>	72"	60"	24"	<b>SS-72P48</b>	60"	44"
<b>SS7207224NC2A</b>	72"	72"	24"	<b>SS-72P72</b>	60"	68"
<b>SS9003624NC1A</b>	90"	36"	24"	<b>SS-90P36</b>	78"	32"
<b>SS9007224NC2A</b>	90"	72"	24"	<b>SS-90P72</b>	78"	68"
<b>SS7202430NC1A</b>	72"	24"	30"	<b>SS-72P24</b>	60"	20"
<b>SS7203036NC1A</b>	72"	30"	36"	<b>SS-72P30</b>	60"	26"
<b>SS7203636NC1A</b>	72"	36"	36"	<b>SS-72P36</b>	60"	32"
<b>SS7206036NC2A</b>	72"	60"	36"	<b>SS-72P60</b>	60"	56"
<b>SS9003636NC1A</b>	90"	36"	36"	<b>SS-90P36</b>	78"	32"



# Steeline "SS"- Series Freestanding Type 4 & 4X Non-Disconnect and Disconnect Enclosure

**Part Number**      **H (in)** **W (in)** **D (in)**      **Mounting Panel Part Number**      **MPL H (in)** **MPL W (in)**


**Freestanding 304  
Stainless Steel Single  
Access**

Part Number	H (in)	W (in)	D (in)	Mounting Panel Part Number	MPL H (in)	MPL W (in)
SS6002418N41	60"	24"	18"	SS-86P72 SS-86P34	74"	68" 30"
SS6004818N42	60"	48"	18"	SS-60P48	48"	44"
SS7202418N41	72"	24"	18"	SS-72P24	60"	20"
SS7203018N41	72"	30"	18"	SS-72P30	60"	28"
SS7203618N41	72"	36"	18"	SS-72P36	60"	32"
SS7204818N42	72"	48"	18"	SS-72P48	60"	44"
SS7206018N42	72"	60"	18"	SS-72P60	60"	56"
SS7207218N42	72"	72"	18"	SS-72P72	60"	68"
SS7210818N43	72"	108"	18"	SS-72P72 SS-72P34	60"	68" 30"
SS8607218N42	86"	72"	18"	SS-86P72	74"	68"
SS8610818N43	86"	108"	18"	SS-86P72 SS-86P34	74"	68" 30"
SS8614418N44	86"	144"	18"	SS-86P72 SS-86P72	74"	68" 68"
SS9002420N41	90"	24"	20"	SS-90P24	78"	20"
SS9003620N41	90"	36"	20"	SS-90P36	78"	32"
SS9004820N42	90"	48"	20"	SS-90P48	78"	44"
SS9007220N42	90"	72"	20"	SS-90P72	78"	68"
SS6003624N41	60"	36"	24"	SS-60P36	48"	32"
SS7202424N41	72"	24"	24"	SS-72P24	60"	20"
SS7203024N41	72"	30"	24"	SS-72P30	60"	26"
SS7203624N41	72"	36"	24"	SS-72P36	60"	32"
SS7204824N42	72"	48"	24"	SS-72P48	60"	44"
SS7206024N42	72"	60"	24"	SS-72P60	60"	56"
SS7207224N42	72"	72"	24"	SS-72P72	60"	68"
SS9003624N41	90"	36"	24"	SS-90P36	78"	32"
SS9007224N42	90"	72"	24"	SS-90P72	78"	68"
SS9010824N43	90"	108"	24"	SS-86P72 SS-86P34	78"	68" 30"
SS7203630N41	72"	36"	30"	SS-72P36	60"	32"
SS7203636N41	72"	36"	36"	SS-72P36	60"	32"
SS7206036N42	72"	60"	36"	SS-72P60	60"	56"
SS9003636N41	90"	36"	36"	SS-90P36	78"	32"
SS9007236N42	90"	72"	36"	SS-90P72	78"	68"

**Part Number**      **H (in)** **W (in)** **D (in)**      **Mounting Panel Part Number**      **MPL H (in)** **MPL W (in)**

**Freestanding 304  
Stainless Steel Dual  
Access**

Part Number	H (in)	W (in)	D (in)	Mounting Panel Part Number	MPL H (in)	MPL W (in)
SS7202424N41A	72"	24"	24"	SS-72P24	60"	20"
SS7203024N41A	72"	30"	24"	SS-72P34	60"	30"
SS7203624N41A	72"	36"	24"	SS-72P36	60"	32"
SS7206024N42A	72"	60"	24"	SS-72P48	60"	44"
SS7207224N42A	72"	72"	24"	SS-72P72	60"	68"
SS9003624N41A	90"	36"	24"	SS-90P36	78"	32"
SS9007224N42A	90"	72"	24"	SS-90P72	78"	68"
SS7202430N41A	72"	24"	30"	SS-72P24	60"	20"
SS7203036N41A	72"	30"	36"	SS-72P30	60"	26"
SS7203636N41A	72"	36"	36"	SS-72P36	60"	32"
SS7206036N42A	72"	60"	36"	SS-72P60	60"	56"
SS9003636N41A	90"	36"	36"	SS-90P36	78"	32"



**-Continue-**

# Steeline "SS"- Series Freestanding Type 4 & 4X Non-Disconnect and Disconnect Enclosure

Part Number	H (in)	W (in)	D (in)	Mounting Panel Part Number	MPL H (in)	MPL W (in)
<b>Freestanding 316L Stainless Steel Single</b>						
SS6002418N61	60"	24"	18"	SS-86P72 SS-86P34	74"	68" 30"
SS6004818N62	60"	48"	18"	SS-60P48	48"	44"
SS7202418N61	72"	24"	18"	SS-72P24	60"	20"
SS7203018N61	72"	30"	18"	SS-72P30	60"	28"
SS7203618N61	72"	36"	18"	SS-72P36	60"	32"
SS7204818N62	72"	48"	18"	SS-72P48	60"	44"
SS7206018N62	72"	60"	18"	SS-72P60	60"	56"
SS7207218N62	72"	72"	18"	SS-72P72	60"	68"
SS7210818N63	72"	108"	18"	SS-72P72 SS-72P34	60" 60"	68" 30"
SS8607218N62	86"	72"	18"	SS-86P72	74"	68"
SS8610818N63	86"	108"	18"	SS-86P72 SS-86P34	74" 74"	68" 30"
SS8614418N64	86"	144"	18"	SS-86P72 SS-86P72	74" 74"	68" 68"
SS9002420N61	90"	24"	20"	SS-90P24	78"	20"
SS9003620N61	90"	36"	20"	SS-90P36	78"	32"
SS9004820N62	90"	48"	20"	SS-90P48	78"	44"
SS9007220N62	90"	72"	20"	SS-90P72	78"	68"
SS6003624N61	60"	36"	24"	SS-60P36	48"	32"
SS7202424N61	72"	24"	24"	SS-72P24	60"	20"
SS7203024N61	72"	30"	24"	SS-72P30	60"	26"
SS7203624N61	72"	36"	24"	SS-72P36	60"	32"
SS7204824N62	72"	48"	24"	SS-72P48	60"	44"
SS7206024N62	72"	60"	24"	SS-72P60	60"	56"
SS7207224N62	72"	72"	24"	SS-72P72	60"	68"
SS9003624N61	90"	36"	24"	SS-90P36	78"	32"
SS9007224N62	90"	72"	24"	SS-90P72	78"	68"
SS9010824N63	90"	108"	24"	SS-86P72 SS-86P34	78" 78"	68" 30"
SS7203630N61	72"	36"	30"	SS-72P36	60"	32"
SS7203636N61	72"	36"	36"	SS-72P36	60"	32"
SS7206036N62	72"	60"	36"	SS-72P60	60"	56"
SS9003636N61	90"	36"	36"	SS-90P36	78"	32"
SS9007236N62	90"	72"	36"	SS-90P72	78"	68"

Part Number	H (in)	W (in)	D (in)	Mounting Panel Part Number	MPL H (in)	MPL W (in)
<b>Freestanding 316L Stainless Steel Dual Access</b>						
SS7202424N61A	72"	24"	24"	SS-72P24	60"	20"
SS7203024N61A	72"	30"	24"	SS-72P34	60"	30"
SS7203624N61A	72"	36"	24"	SS-72P36	60"	32"
SS7206024N62A	72"	60"	24"	SS-72P48	60"	44"
SS7207224N62A	72"	72"	24"	SS-72P72	60"	68"
SS9003624N61A	90"	36"	24"	SS-90P36	78"	32"
SS9007224N62A	90"	72"	24"	SS-90P72	78"	68"
SS7202430N61A	72"	24"	30"	SS-72P24	60"	20"
SS7203036N61A	72"	30"	36"	SS-72P30	60"	26"
SS7203636N61A	72"	36"	36"	SS-72P36	60"	32"
SS7206036N62A	72"	60"	36"	SS-72P60	60"	56"
SS9003636N61A	90"	36"	36"	SS-90P36	78"	32"



-Continue-

# Steeline "SS"- Series Freestanding Type 4 & 4X Non-Disconnect and Disconnect Enclosure



**Part Number**      **H (in)** **W (in)** **D (in)**      **Mounting Panel Part Number**      **MPL H (in)**      **MPL W (in)**

Part Number	H (in)	W (in)	D (in)	Mounting Panel Part Number	MPL H (in)	MPL W (in)
<b>Freestanding Carbon Steel Single Access with Disconnect</b>						
SS6005018DC2	60"	50"	18"	SS-60P48	48"	44"
SS7202618DC1	72"	26"	18"	SS-72P24	60"	20"
SS7203218DC1	72"	32"	18"	SS-72P30	60"	28"
SS7203818DC1	72"	38"	18"	SS-72P36	60"	32"
SS7205018DC2	72"	50"	18"	SS-72P48	60"	44"
SS7206218DC2	72"	62"	18"	SS-72P60	60"	56"
SS7207418DC2	72"	74"	18"	SS-72P72	60"	68"
SS7210818DC3	72"	108"	18"	SS-72P72 SS-72P34	60" 60"	68" 30"
SS8603818DC1	86"	38"	18"	SS-86P36	74"	32"
SS8607418DC2	86"	74"	18"	SS-86P72	74"	68"
SS8610818DC3	86"	108"	18"	SS-86P72 SS-86P34	74" 74"	68" 30"
SS8614418DC4	86"	144"	18"	SS-86P72 SS-86P72	74" 74"	68" 68"
SS9003818DC1	90"	38"	18"	SS-90P24	78"	20"
SS6003824DC1	60"	38"	24"	SS-60P36	48"	32"
SS7202624DC1	72"	26"	24"	SS-72P24	60"	20"
SS7203224DC1	72"	32"	24"	SS-72P30	60"	26"
SS7203824DC1	72"	38"	24"	SS-72P36	60"	32"
SS7205024DC2	72"	50"	24"	SS-72P48	60"	44"
SS7206224DC2	72"	62"	24"	SS-72P60	60"	56"
SS7207424DC2	72"	74"	24"	SS-72P72	60"	68"
SS9003824DC1	90"	38"	24"	SS-90P36	78"	32"
SS9007424DC2	90"	74"	24"	SS-90P72	78"	68"
SS9010824DC3	90"	108"	24"	SS-86P72 SS-86P34	78" 78"	68" 30"

**Part Number**      **H (in)** **W (in)** **D (in)**      **Mounting Panel Part Number**      **MPL H (in)**      **MPL W (in)**

Part Number	H (in)	W (in)	D (in)	Mounting Panel Part Number	MPL H (in)	MPL W (in)
<b>Freestanding 304 Stainless Steel Single Access with Disconnect</b>						
SS6005018D42	60"	50"	18"	SS-60P48	48"	44"
SS7202618D41	72"	26"	18"	SS-72P24	60"	20"
SS7203218D41	72"	32"	18"	SS-72P30	60"	28"
SS7203818D41	72"	38"	18"	SS-72P36	60"	32"
SS7205018D42	72"	50"	18"	SS-72P48	60"	44"
SS7206218D42	72"	62"	18"	SS-72P60	60"	56"
SS7207418D42	72"	74"	18"	SS-72P72	60"	68"
SS7210818D43	72"	108"	18"	SS-72P72 SS-72P34	60" 60"	68" 30"
SS8603818D41	86"	38"	18"	SS-86P36	74"	32"
SS8607418D42	86"	74"	18"	SS-86P72	74"	68"
SS8610818D43	86"	108"	18"	SS-86P72 SS-86P34	74" 74"	68" 30"
SS8614418D44	86"	144"	18"	SS-86P72 SS-86P72	74" 74"	68" 68"
SS9003818D41	90"	38"	18"	SS-90P24	78"	20"
SS6003824D41	60"	38"	24"	SS-60P36	48"	32"
SS7202624D41	72"	26"	24"	SS-72P24	60"	20"
SS7203224D41	72"	32"	24"	SS-72P30	60"	26"
SS7203824D41	72"	38"	24"	SS-72P36	60"	32"
SS7205024D42	72"	50"	24"	SS-72P48	60"	44"
SS7206224D42	72"	62"	24"	SS-72P60	60"	56"
SS7207424D42	72"	74"	24"	SS-72P72	60"	68"
SS9003824D41	90"	38"	24"	SS-90P36	78"	32"
SS9007424D42	90"	74"	24"	SS-90P72	78"	68"
SS9010824D43	90"	108"	24"	SS-86P72 SS-86P34	78" 78"	68" 30"

-Continue-

# Steeline "SS"- Series Freestanding Type 4 & 4X Non-Disconnect and Disconnect Enclosure

Part Number	H (in)	W (in)	D (in)	Mounting Panel Part Number	MPL H(in)	MPL W(in)
<b>Freestanding 316L Stainless Steel Single Access with Discon-</b>						
SS6005018D62	60"	50"	18"	SS-60P48	48"	44"
FS7202618D61	72"	26"	18"	SS-72P24	60"	20"
SS7203218D61	72"	32"	18"	SS-72P30	60"	28"
SS7203818D61	72"	38"	18"	SS-72P36	60"	32"
SS7205018D62	72"	50"	18"	SS-72P48	60"	44"
SS7206218D62	72"	62"	18"	SS-72P60	60"	56"
SS7207418D62	72"	74"	18"	SS-72P72	60"	68"
SS7210818D63	72"	108"	18"	SS-72P72 SS-72P34	60" 60"	68" 30"
SS8603818D61	86"	38"	18"	SS-86P36	74"	32"
SS8607418D62	86"	74"	18"	SS-86P72	74"	68"
SS8610818D63	86"	108"	18"	SS-86P72 SS-86P34	74" 74"	68" 30"
SS8614418D64	86"	144"	18"	SS-86P72 SS-86P72	74" 74"	68" 68"
SS9003818D61	90"	38"	18"	SS-90P24	78"	20"
SS6003824D61	60"	38"	24"	SS-60P36	48"	32"
SS7202624D61	72"	26"	24"	SS-72P24	60"	20"
SS7203224D61	72"	32"	24"	SS-72P30	60"	26"
SS7203824D61	72"	38"	24"	SS-72P36	60"	32"
SS7205024D62	72"	50"	24"	SS-72P48	60"	44"
SS7206224D62	72"	62"	24"	SS-72P60	60"	56"
SS7207424D62	72"	74"	24"	SS-72P72	60"	68"
SS9003824D61	90"	38"	24"	SS-90P36	78"	32"
SS9007424D62	90"	74"	24"	SS-90P72	78"	68"
SS9010824D63	90"	108"	24"	SS-86P72 SS-86P34	78" 78"	68" 30"


## Flange Mount Disconnect

Disconnect Mounting Space for Universal Disconnect Cutout.

Refer to National Electrical Code 2008 article 43010(B) for wiring space required for line side conductors to be connected to disconnect.

Detail listed below:

## Flange Mount Disconnect Detail



Distance from top of enclosure to top of hole of disconnect cutout.

Location determined as follows:

- Height of Encl. 60.06" / 60.12" will be 6.88"
- Height of Encl. 72.06" / 72.12" will be 12.88"
- Height of Encl. 86.12" will be 19.88"
- Height of Encl. 90.06" / 90.12" will be 21.88"

-Continue-